

Table of Contents for CHS 2016 Public Use Codebook

HEALTH STATUS	2
ACCESS/HEALTH INSURANCE	
HEALTH CARE DISCRIMINATION	7
CARDIOVASCULAR HEALTH	11
DIABETES	12
MENTAL HEALTH	13
NUTRITION	
PHYSICAL ACTIVITY	19
TOBACCO AND SECOND HAND SMOKING	20
DEMOGRAPHICS	
NEIGHBORHOODS	36
IMMUNIZATIONS	38
CANCER SCREENING	40
HIV TESTING	
SEXUAL BEHAVIOR	
ALCOHOL	47
INTIMATE PARTNER VIOLENCE	49
TRAFFIC SAFETY (VISION ZERO)	50
HOUSING, ENVIRONMENT, AND NOISE	52
ADMINISTRATIVE	53

^{*}CHS 2016 Nesting Variable = STRATA

^{*}CHS 2016 Survey Weight = wt17_dual

HEALTH STATUS	HEALTH STATUS											
Recoded Variable	Question	Raw Name	Source	Frequencies (un	weighted)	Prior years	NOTES					
generalhealth	Would you say in general	health1	Q1.1	1=Excellent	1,577	2002-2015: generalhealth						
	that your health is:			2=Very good	2,627							
	excellent, very good			3=Good	3,198							
				4=Fair	1,782							
				5=Poor	727							
				.d=Don't know	86							
				.r= Refused	3							

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
insuredgateway16	Do you have any kind of health insurance coverage, including private health insurance or government plans such as Medicare or Medicaid?	access66	Q2.1	1=Yes 2=No .d=Don't know .r=Refused	9,145 811 28 16	2002: 2003 spg: healthcover 2003 fall: healthcover 2004-06: insuredgateway 2007: insuredgateway07 2008: insuredgateway08 2009: insuredgateway09 2010: insuredgateway10 2011: insuredgateway11 2012: insuredgateway12 2013: insuredgateway13 2014: insuredgateway14 2015: insuredgateway15	Question wording changed in 2016
insure16	What type of health insurance do you use to pay for your doctor or hospital bills? Is it insurance through	access42	Q2.2	1=Employer 2=Self-purchase 3=Medicare 4=Medicaid/Family Health+ 5=Milit/CHAMPUS/Tricare 6=COBRA/Other 7=Uninsured .d=Don't know .r=Refused .=Missing	3,659 634 2,214 2,211 58 197 811 131 41	2002: insure02 2003: insure03 2004: insure04 2005: insure05 2006: insure06 2007: insure07 2008: insure08 2009: insure09 2010: insure10 2011: insure11 2012: insure12 2013: insure13 2014: insure14 2015: insure15	Question wording and response options for health insurance coverage have changed over time
insured	Any type of health insurance?		insure16	1=Yes 2=No .d=Don't know .r=Refused .=Missing	8,973 811 131 41 44	2002-2015: insured	Based on insure16; question wording and response options changed over time

ACCESS/HEALTH	1 INSURANCE						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
insure5	Type of health insurance coverage		insure16	1=Private 2=Medicare 3=Medicaid 4=Others 5=Uninsured .d=Don't know .r=Refused .= Missing	4,293 2,214 2,211 255 811 131 41	2002-2015: insure5	Variable used on EQ.
timeunins16	How long have you been uninsured?	access67	Q2.3, access66 access42	1= < 6 months 2= 6 months to <1 yr 3= 1 yr to 2 yrs 4= More than 2 yrs 5=Never had insurance .d=Don't know .r=Refused .=Missing/not asked	162 68 98 224 245 10 4 9,189	2002-2015:	Answer choices are different in 2009.
mainreasonunins16	What is the ONE MAIN reason that you don't have health insurance?	access68, access68v	Q2.3a	1= Too expensive 2= Insurance ended recently 3= Process too difficult 4= Immigration or residency status 5= Haven't had an opportunity to look into it 6=Do not think it is needed 7= Other .d=Don't know .r=Refused .=Missing/not asked	223 104 39 244 88 58 28 15 8	2002-2015:	Available with a Data Use Agreement. Please contact EpiDataRequest@ health.nyc.gov New in 2016
pcp16	Do you have one person or more than one person you think of as your personal doctor or health care provider?	access45	Q2.5	1=Yes 2=No .d=Don't know .r=Refused	8,662 1,284 51 3	2002-04: pcp 2005: pcp05 2006: pcp06 2007: pcp07 2008: pcp08 2009: pcp09 2010: 2011: pcp11 2012: pcp12 2013: pcp13 2014: pcp14 2015: pcp15	Question wording and response options changed over time

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
sickadvice16	When you are sick or need advice about your health, to which of the following places do you usually go?	access70, access70v	Q2.6	1= A private doctor 2= Non-retail clinic 3= Urgent Care Center 4= Hospital ED 5= Retail clinic 6=Alternative health care provider 7= Family/friend/self/ resources 8= Other 9= No usual place .d=Don't know .r=Refused .=Missing/not asked	6,738 1,769 382 592 79 32 43 91 214 46 13	2002: 2003: 2004: sickadvice 2005-2010: 2011: sickadvice11 2012: sickadvice12 2013: 2014: sickadvice14 2015: sickadvice15	Response options changed over time.
sickplace	When you are sick or need advice about your health, to which of the following places do you usually go?		Q2.6	1=Doctor, clinic, health center 2=ED/Urgent Care 3=Other 4=No usual place .d=Don't know .r=Refused .=Missing/not asked	8,507 974 245 214 46 13 1	2002-10: 2011-2012: sickplace 2013: 2014:sickplace 2015:sickplace	
reasoner16	What is the main reason you usually go to the emergency room instead of a doctor's office or clinic?	access71	Q2.7	1=Can't afford dr's office/don't turn anyone away 2=Don't know where else to go 3=Convenience 4=Everything you need is taken care of at the ED 5=Best place for condition 6=Prefer ED 7=Don't have regular doctor 8=Other .d= Don't know .r= Refused .=Missing/not asked	76 22 139 82 82 38 65 72 14 0 9,410	2002-2014: 2015: reasoner	Response options changed in 2016. Among those who usually go to a hospital emergency room when they are sick.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
didntgetcare16	Was there a time in the past 12 months when you needed medical care but did NOT get it? Medical care includes doctor's visits, tests, procedures, prescription medication and hospitalizations.	access36	Q2.8	1=Yes 2=No .d=Don't know .r=Refused	965 8,977 57 1	2002: neededcare 2003: 2004: 2005: didntgetcare 2006: 2007: didntgetcare07 2008: 2009: didntgetcare09 2010: didntgetcare10 2011: didntgetcare11 2012: didntgetcare12 2013: didntgetcare13 2014: didntgetcare14 2015: didntgetcare15	Question wording and response options changed over time. Question wording for CHS 2006 (didntgetcare06) not directly comparable to other years.
insaccept	When trying to get health care in the past 12 months has any doctor's office or clinic told you they were not accepting your insurance? Among those with insurance	access63	Q2.9	1=Yes 2=No 3=[VOL] Did not seek care .d=Don't know .r=Refused .= Missing/not asked	1,483 7,554 74 33 1 855	2002-2014: 2015: insaccept	Among those with insurance (insuregateway 16=1)
didntfillin	In the last 12 months, was there any time when you did NOT fill a prescription for medicine because of the cost?	access19	Q2.10	1=Yes 2=No .d=Don't know .r=Refused	1,483 8,472 44 1	2002: 2003: didntfillin 2004-2005: 2006: didntfillin 2007-2014: 2015: didntfillin	
medcost	Other than prescription medicines, in the past 12 months, have you had any difficulty getting medical care because you could not afford the out-of-pocket costs, such as copays or deductibles? Among those with insurance	access64	Q2.11	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	832 8,280 30 3 855	2002-2014: 2015: medcost	Among those with insurance (insuregateway 16=1)

HEALTH CARE DI	SCRIMINATION						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	nted)	Prior years	NOTES
discriminationtreatment	Thinking of your experiences trying to get health care treatment in the past 12 months, have you felt you were hassled, made to feel inferior, or discriminated against for any reason?	discrim1	Q2.12	1=Yes 2=No 3=(VOL.) Did not seek health care treatment in the past 12 months .d=Don't know .r=Refused	578 9,280 98 40 4	2002-2015:	New in 2016
discrimreasonrace	What was the reason or reasons you felt discriminated against while trying to get health care treatment in the past 12 months: Race/ethnicity or skin color	discrim2-11	Q2.13	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	77 473 25 3 9,422	2002-2015:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov New in 2016 Categories are not mutually exclusive
discrimreasonage	What was the reason or reasons you felt discriminated against while trying to get health care treatment in the past 12 months: Age	discrim2-11	Q2.13	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	42 508 25 3 9,422	2002-2015:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov New in 2016 Categories are not mutually exclusive
discrimreasonlang	What was the reason or reasons you felt discriminated against while trying to get health care treatment in the past 12 months: Language.	discrim2-11	Q2.13	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	45 505 25 3 9,422	2002-2015:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov New in 2016 Categories are not mutually exclusive
discrimreasonhealth	What was the reason or reasons you felt discriminated against while trying to get health care treatment in the past 12 months: Health status or disability	discrim2-11	Q2.13	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	31 519 25 3 9,422	2002-2015:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov New in 2016 Categories are not mutually exclusive

HEALTH CARE DISCRIMINATION Recoded Variable Ouestion Raw Name Source **Frequencies (unweighted) Prior years** NOTES What was the reason or discrim2-11 02.13 1=Yes 10 2002-2015: ---Available with a Data Use Agreement. reasons you felt 2=No540 Please contact EpiDataRequest@health.nyc.gov discriminated against .d=Don't know 25 discrimreasonweight while trying to get health 3 .r=Refused New in 2016 care treatment in the .= Missing/not asked 9,422 past 12 months: Body Categories are not mutually exclusive weight What was the reason or Available with a Data Use Agreement. discrim2-11 O2.13 1=Yes 179 2002-2015: ---Please contact reasons you felt 2=No371 EpiDataRequest@health.nvc.gov discriminated against .d=Don't know 25 discrimreasonins while trying to get health .r=Refused 3 New in 2016 care treatment in the .= Missing/not asked 9,422 past 12 months: Categories are not mutually exclusive Insurance status or type What was the reason or 1=Yes 2002-2015: ---Available with a Data Use Agreement. discrim2-11 Q2.13 55 Please contact reasons you felt 2=No495 EpiDataRequest@health.nyc.gov discriminated against .d=Don't know 25 discrimreasonincome while trying to get health 3 .r=Refused New in 2016 care treatment in the 9,422 .= Missing/not asked past 12 months: Income Categories are not mutually exclusive level Available with a Data Use Agreement. What was the reason or discrim2-11 02.13 1=Yes 2002-2015: ---Please contact reasons you felt 2=No548 EpiDataRequest@health.nyc.gov discriminated against .d=Don't know 25 while trying to get health discrimreasonreligion .r=Refused 3 New in 2016 care treatment in the .= Missing/not asked 9,422 past 12 months: Categories are not mutually exclusive Religion. What was the reason or 2002-2015: ---Available with a Data Use Agreement. discrim2-11 O2.13 1=Yes reasons you felt Please contact 546 2=NoEpiDataRequest@health.nyc.gov discriminated against .d=Don't know 25 discrimreasonsexualori while trying to get health .r=Refused 3 New in 2016 care treatment in the .= Missing/not asked 9,422 past 12 months: Sexual Categories are not mutually exclusive orientation

HEALTH CARE DI	SCRIMINATION						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	ted)	Prior years	NOTES
discrimreasonsex	What was the reason or reasons you felt discriminated against while trying to get health care treatment in the past 12 months: Gender/sex	discrim2-11	Q2.13	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	6 544 25 3 9,422	2002-2015:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov New in 2016 Categories are not mutually exclusive
discrimreasongenderiden	What was the reason or reasons you felt discriminated against while trying to get health care treatment in the past 12 months: Gender identity	discrim2-11	Q2.13	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	2 548 25 3 9,422	2002-2015:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov New in 2016 Categories are not mutually exclusive
discrimreasonimmigration	What was the reason or reasons you felt discriminated against while trying to get health care treatment in the past 12 months: Immigration status	discrim2-11	Q2.13	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	15 535 25 3 9,422	2002-2015:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov New in 2016 Categories are not mutually exclusive
discrimreasonother	What was the reason or reasons you felt discriminated against while trying to get health care treatment in the past 12 months: Other reason	discrim2-11	Q2.13	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	147 403 25 3 9,422	2002-2015:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov New in 2016 Categories are not mutually exclusive
discrim_fu	Did you feel it was because of your race, ethnicity or skin color?	discrim12	Q2.14	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	77 397 26 1 9,499	2002-2015:	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov New in 2016 Among those who reported discrimination but did not previously select race/ethnicity or skin color as reason.

HEALTH CARE DI	SCRIMINATION						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	ted)	Prior years	NOTES
discrimreasonrace_ new	Felt any discrimination because of race /ethnicity, or skin color while trying to get health care treatment (in the past 12 months)	discrim2-11, discrim12	Q2.13 Q2.14	1=Yes 2=No .d=Don't know .r=Refused .= Missing/not asked	154 423 1 0 9,422	2002-2015:	New in 2016 Variable combines discrimreasonrace and discrim_fu

Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	ited)	Prior years	NOTES
toldhighbp16	Have you ever been told by a doctor, nurse or other health professional that you have hypertension, also called high blood pressure?	press10	Q3.1	1=Yes 2=No .d=Don't know .r=Refused	3,519 6,445 21 15	2002: toldhighbp02 2003: 2004: 2005: toldhighbp05 2006: toldhighbp06 2007: toldhighbp07 2008: toldhighbp08 2009: toldhighbp09 2010: toldhighbp10 2011: toldhighbp11 2012: toldhighbp12 2013: toldhighbp13 2014: toldhighbp14 2015: toldhighbp15	Question wording differs from 2002, 2005
toldprescription16	Have you ever been told by a doctor, nurse or other health professional that you need to take medicine for your high blood pressure?	press14	Q3.2; press10	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	3,184 330 5 0 6,481	2002-2004: 2005: toldprescription 2006: toldprescription 2007: toldprescription07 2008: 2009: toldprescription09 2010: toldprescription10 2011: toldprescription11 2012: toldprescription12 2013: 2014: toldprescription14 2015: toldprescription15	Question wording modified over time Denominator is persons ever told high BP
takingmeds16	Are you currently taking medication for your high blood pressure? AMONG THOSE TOLD HBP AND TOLD TO TAKE MEDS	press8	Q3.3; press14	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	2,858 322 3 1 6,816	2002-2004: 2005: takingmeds05 2006: takingmeds06 2007: takingmeds07 2008: 2009: takingmeds09 2010: takingmeds10 2011: takingmeds11 2012: takingmeds12 2013: 2014: takingmeds14 2015: takingmeds15	Denominator is persons with high BP told they needed meds for high BP. CHS 08 BP meds question is not comparable to other yrs

DIABETES			T	1_		Γ	
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
diabetes16	Have you ever been told	diabet10	Q4.1	1= Yes	1,481	2002-04: diabetes	Women who had
	by a doctor, nurse or other			2= No	8,485	2005:	diabetes only while
	health professional that			.d= Don't know	22	2006: diabetes	pregnant are included in
	you have diabetes?			.r=Refused	12	2007: diabetes07	'no' category
						2008: diabetes08	
						2009: diabetes09	
						2010: diabetes10	
						2011:diabetes11	
						2012:diabetes12	
						2013: diabetes13	
						2014: diabetes14	
						2015: diabetes15	

MENTAL HEALTI	H						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted	1)	Prior years	NOTES
mood63	Over the last 2 weeks, how often have you been bothered by: little interest or pleasure in doing things?	mood63	Q5.1	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	7,513 1,310 361 601 174 41	2002-2015:	New in 2016
mood64	Over the last 2 weeks, how often have you been bothered by: feeling down, depressed or hopeless?	mood64	Q5.2	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	7,474 1,585 368 442 95 36	2002-2015:	New in 2016
mood54	Over the last 2 weeks, how often have you been bothered by: trouble falling or staying asleep, or sleeping too much?	mood54	Q5.3	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	6,315 1,907 532 1,117 95 34	2002-2015:	New in 2016
mood55	Over the last 2 weeks, how often have you been bothered by: poor appetite or overeating?	mood55	Q5.4	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	5,276 2,857 653 1,071 120 23	2002-2015:	New in 2016
mood56	Over the last 2 weeks, how often have you been bothered by: poor appetite or overeating?	mood56	Q5.5	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	7,8371, 158 345 55088 22	2002-2015:	New in 2016
mood57	Over the last 2 weeks, how often have you been bothered by: feeling bad about yourself — or that you are a failure or have let yourself or your family down?	mood57	Q5.6	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	8,254 1,048 258 331 82 27	2002-2015:	New in 2016
mood58	Over the last 2 weeks, how often have you been bothered by: trouble concentrating on things, such as reading the newspaper or watching TV?	mood58	Q5.7	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	8,271 973 243 412 75 26	2002-2015:	New in 2016

MENTAL HEALTI	I						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
mood59	Over the last 2 weeks, how often have you been bothered by: moving or speaking so slowly that other people could have noticed? Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual?	mood59	Q5.8	1=Not at all 2=Several days 3=More than half the days 4=Nearly every day .d= Don't know .r= Refused	8,686 702 204 263 120 25	2002-2015:	New in 2016
phq8score	Patient Health Questionnaire depression scale – based on last 2 weeks		Q5.1- Q5.8	0-24 .d= Don't know .r= Refused . = Missing	9,334 3 8 655	2002-2015:	New in 2016 Imputed version of the variable to be added.
currdepress	Current depression (last 2 weeks)		Q5.1- Q5.8	1= Yes 2= No .d= Don't know .r= Refused . = Missing	851 8,483 3 8 655	2002-2015:	New in 2016
mood60	How difficult have these problems made it for you to do your work, take care of things at home, or get along with other people? Among those with current depression.	mood60	Q5.9	1=Not difficult at all 2=Somewhat difficult 3=Very difficult 4=Extremely difficult .d= Don't know .r= Refused . = Missing/Not asked	168 375 166 131 11 0 9,149	2002-2015:	New in 2016 Among those with current depression.
mood61	In the past 12 months, have you taken a prescription medication for a mental health problem? Among those with current depression.	mood61	Q5.10	1= Yes 2= No .d= Don't know .r= Refused . = Missing/Not asked	286 562 3 0 9,149	2002-2015:	Among those with current depression.
mood62	In the past 12 months, have you received any counseling for a mental health problem? Among those with current depression.	mood62	Q5.11	1= Yes 2= No .d= Don't know .r= Refused . = Missing/Not asked	286 563 1 1 9,149	2002-2015:	New in 2016 Among those with current depression.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)	Prior years	NOTES
mhtreat16	Received counseling or prescription medication for a mental health problem in last 12 months. Among adults with current depression.	mood61, mood62	Q5.10, Q5.11	1= Yes 2= No .d= Don't know .r= Refused . = Missing/Not asked	355 493 0 0 9,152	2002-2015:	Among those with current depression. Not comparable to prior years when asked among those with NSPD.
mood11	Was there a time in the past 12 months when you needed treatment for a mental health problem but did not get it?	mood11	Q5.12	1= Yes 2= No .d=Don't know .r=Refused	318 9,652 18 12	2002: 2003: mood11 2004: 2005: mood11 2006: mood11 2007-2012: 2013: mood11 2014: 2015: mood11	Among all adults Note: In 2003 only asked among those with nspd

NUTRITION							
Recoded variable	Question	Raw Name	Source	Frequencies (unweigh	hted)	Prior years	NOTES
nutrition1	Thinking about nutritionhow many total servings of fruit and/or vegetables did you eat yesterday? A serving would equal one medium apple, a handful of broccoli, or a cup of carrots.	nutrition1	Q9.1	0 – 50 .d= Don't know .r=Refused	9,511 233 23	2002: nutrition1 2003: 2004: nutrition1 2005-2007: 2008-2015: nutrition1	Continuous
fruitveg	Thinking about nutritionhow many total servings of fruit and/or vegetables did you eat yesterday? A serving would equal one medium apple, a handful of broccoli, or a cup of carrots.	nutrition1	Q9.1	1= None 2= 1-4 servings 3= ≥5 servings .d=Don't know .r=Refused	1,140 7,666 938 233 23	2002: fruitveg 2003: 2004: fruitveg 2005-2007: 2008-2015: fruitveg	Categorical
nsodaperday16	How often do you drink sugar sweetened soda? Do not include diet soda or seltzer. Standardized to per day (continuous)	nutrition14	Q9.2	0 – 20 .d=Don't know .r=Refused . = Missing/outliers	9,936 57 7 0	2002-06: 2007: nsodaperday07 2008: nsodaperday08 2009: nsodaperday09 2010: nsodaperday10 2011: nsodaperday11 2012: nsodaperday12 2013: nsodaperday13 2014: nsodaperday14 2015: nsodaperday15	Response options in 2005 not directly comparable to '07-'16
avgsodaperday16	Average number of sodas per day		nsodaper day16	1= None 2= <1 (more than none) 3= One 4= >1 .d=Don't know .r=Refused . = Missing	6,603 2,251 578 504 57 7 0	2002-2006: 2007: avgsodaperday07 2008: avgsodaperday08 2009: avgsodaperday09 2010: avgsodaperday10 2011: avgsodaperday11 2012: avgsodaperday12 2013: avgsodaperday13 2014: avgsodaperday14 2015: avgsodaperday15	Response options in 2005 not directly comparable to '07-'16
twoplussoda	Drink two or more sodas per day		nsodaper day16	1= ≥2 sodas 2 = <2 sodas .d=Don't know .r=Refused . = Missing	501 9,435 57 7 0	2002-2004: 2005: twoplussoda 2006: 2007-2015: twoplussoda	Recommend twoplussoda for comparing '05 v '07-'16

NUTRITION							
Recoded variable	Question	Raw Name	Source	Frequencies (unweighted	l)	Prior years	NOTES
nsugardrinkperday16	How often do you drink other sweetened drinks like sweetened iced tea, sports drinks, fruit punch or other fruit-flavored drinks? Do not include diet soda, sugar free drinks, or 100% juice. Standardized to per day (continuous)	nutrition15	Q9.3	.d=Don't know .r=Refused . = Missing	9,915 73 11 1	2002-2006: 2007: nsugardrinkperday 2008: nsugardrinkperday08 2009: nsugardrinkperday09 2010: nsugardrinkperday10 2011: nsugardrinkperday11 2012: nsugardrinkperday12 2013: nsugardrinkperday13 2014: nsugardrinkperday14 2015: nsugardrinkperday15	
avgsugarperday16	Average number of other sugar- sweetened beverages per day		nsugardri nkperday 16		754 636 73 11	2002-2006: 2007: avgsugarperday07 2008: avgsugarperday08 2009: avgsugarperday09 2010: avgsugarperday10 2011: avgsugarperday11 2012: avgsugarperday12 2013: avgsugarperday13 2014: avgsugarperday14 2015: avgsugarperday15	Response options in 2005 not directly comparable to '07-'16
nsodasugarperday16	Number of soda and other sugar sweetened beverages consumed. Standardized to per day (continuous)		nsodaper day16, nsugardri nkperday 16	.d=Don't know .r=Refused . = Missing	9,910 13 0 77	2002-2006: 2007: nsugardrinkperday 2008: nsugardrinkperday08 2009: nsugardrinkperday09 2010: nsugardrinkperday10 2011: nsugardrinkperday11 2012: nsugardrinkperday12 2013: nsugardrinkperday13 2014: nsugardrinkperday14 2015: nsugardrinkperday15	
avgsodasugarperday16	Average number of sodas plus sweetened drinks per day (categorical)		nsodasuga rdrinkperd ay16	2= <1 (more than 2 none) 3= One	4,913 2,875 657 1,465 13 0 77	2002-2006: 2007: avgsodasugarperday07 2008: avgsodasugarperday08 2009: avgsodasugarperday09 2010: avgsodasugarperday10 2011: avgsodasugarperday11 2012: avgsodasugarperday12 2013: avgsodasugarperday13 2014: avgsodasugarperday14 2015: avgsodasugarperday15	Response options in 2005 not directly comparable to '07-'16

NUTRITION							
Recoded variable	Question	Raw Name	Source	Frequencies (unweigh	hted)	Prior years	NOTES
ssb	Consumes one or more sugar sweetened beverages (soda + other sweetened drinks) on average per day		nsodasuga rdrinkperd ay16	1=Yes 2=No .d=Don't know .r=Refused . = Missing	2,122 7,788 13 0 77	2007-2015: ssb	

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
exercise16	During the past 30 days, other than	activity1	Q10.1	1= Yes	7,108	2002-04: exercise	
	your regular job, did you participate			2= No	2,873	2005: exercise05	
	in any physical activities or			.d= Don't know	14	2006-07:	
	exercises such as running,			.r= Refused	5	2008: exercise	
	calisthenics, golf, gardening, or					2009: exercise09	
	walking for exercise?					2010: exercise10	
						2011: exercise11	
						2012: exercise12	
						2013: exercise13	
						2014: exercise14	
						2015: exercise15	

TOBACCO AND SI	ECOND HAND SMOKING			(Fall '03 var	iables report	ed since fall '03 must be combined w/ C	CHS 2003 for smoking analyses)
Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	hted)	Prior years	NOTES
smoker	Have you smoked at least 100 cigarettes in your entire life? Do you now smoke cigarettes: everyday, some days, or not at all?		Q7.1; Q7.2	1= Never 2= Current 3= Former .d= Don't know .r= Refused	6,592 1,212 2,136 56 4	2002-2015: smoker	
everyday	Smoke every day vs some days		Q7.2	1= Yes, every day 2= No, some days .d= Don't know .r= Refused . = Missing/Not asked	735 477 3 0 8,785	2002-2015: everyday	Denominator persons who smoked at least 100 cigarettes (smoke1=1)
numberperdaya	# cigs smoked/day every & someday smokers, continuous (imputed for missing & adjusted for days smoked)	smoke3, smoke72	Q7.3, Q7.3a	0 – 60 . = Missing/Not asked	1,212 8,788	2002: numberperdaya 2003: numberperdaya 2003 fall: numberperdaya 2004: numberperdaya 2005: 2006: numberperdaya 2007: 2008: numberperdaya 2009: numberperdaya 2010: numberperdaya 2011: numberperdaya 2011: numberperdaya 2012: numberperdaya 2013: numberperdaya 2014: numberperdaya	numberperdaya imputes for missing values of smoke3 and smoke72 and adjusts for days smoked. Weighted mean # of days smoked from CHS 2014 was used to calculate days smoked for some day smokers. Numberperdaya sums to total every and some day smokers. Question wording and response options changed over time
cpd16a	# cigs smoked/day every & someday smokers, categorical (imputed for missing & adjusted for days smoked)		numberper daya	1= <10 cigs 2= 10 - <21 cigs 3= 21+ cigs .= Missing/Not asked	754 427 31 8,788	2002: cpd02a 2003: cpd03a 2003 fall: cpd03a 2004: cpd04a 2005: 2006: cpd06a 2007: 2008: cpd08a 2009: cpd09a 2010: cpd10a 2011: cpd11a 2012: cpd12a 2013: cpd13a 2014: cpd14a 2015: cpd15a	cpd16a is categorical VERSION of numberperdaya. See above for description. cpd replaces 'cigarettes' vars in all yrs available

TOBACCO AND SI	ECOND HAND SMOKING			(Fall '03 var	riables report	ed since fall '03 must be combined w/ C	HS 2003 for smoking analyses)
Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	hted)	Prior years	NOTES
everydaycpda	# cigs smoked/day among every day smokers ONLY (imputed for missing)		numberper daya	1= <10 2= 10 - <21 3= 21+ . = Missing/Not asked	279 425 31 9,265	2002-2003: everydaycpda 2003 fall: everydaycpda 2004-2007: everydaycpda 2007: 2008-2015: everydaycpda	everydaycpda is categorical VERSION of numberperdaya for EVERY DAY SMOKERS. Only every day were asked cpd in '05; use everydaycpda for cpd trend analyses.
heavysmoker16a	Heavy smoker(>10 cig/day) (imputed for missing cigs & adjusted for days smoked)		numberper daya	1 = Yes (>10 cigs) 2 = No (≤10 cigs) . = Missing/Not asked	268 944 8,788	2002: heavysmoker02a 2003: heavysmoker03a 2003fall: heavysmoker03a 2004: heavysmoker04a 2005: 2006: heavysmoker06a 2007: 2008: heavysmoker08a 2009: heavysmoker09a 2010: heavysmoker10a 2011: heavysmoker11a 2012: heavysmoker12a 2013: heavysmoker13a 2014: heavysmoker14a 2015: heavysmoker15a	Heavysmoker16a is dichotomous VERSION of numberperdaya. See above for description. HeavysmokerYY'a' (NOT heavysmoker) should be used in multi-yr analyses.
smokecat	Type of smoker		everyday, heavysmok er16a	1 = Non-daily smoker 2 = Light daily smoker 3 = Heavy daily smoker 4 = Non-smoker . = missing	477 469 266 8,728 60	2002-2004: smokecat 2005: 2006: smokecat 2007: 2008-2015: smokecat	
agesmkcur	How old were you when you first started smoking cigarettes regularly? Among current smokers	smoke24	Q7.5 (smoker)	1= 1-9 yrs 2= 10-12 yrs 3= 13-17 yrs 4= 18-22 yrs 5= 23+ yrs . = Missing/Not asked	22 65 460 412 196 8,845	2002: 2003 spring: agesmkcur 2003: 2003 fall: agesmkcur 2004-2007: agesmkcur 2008: 2009: agesmkcur 2010-2013: 2014-2015: agesmkcur	Denominator is persons who currently smoke (smoker=2)

TOBACCO AND SI	ECOND HAND SMOKING			(Fall '03 va	riables report	ed since fall '03 must be combined w/ (CHS 2003 for smoking analyses)
Recoded Variable	Question	Raw Name	Source	Frequencies (unweig	ghted)	Prior years	NOTES
agesmk21	First started smoking under age 21 (includes current smokers only)		smoke24	1= Yes 2= No . = Missing/Not asked	869 286 8,845	2002-2014: 2015: agesmk21	Among current smokers
agesmkever	How old were you when you first started smoking cigarettes regularly?	smoke24	Q7.4 (smoker)	1= 1-9 yrs 2= 10-12 yrs 3= 13-17 yrs 4= 18-22 yrs 5= 23+ yrs . = Missing/Not asked	56 171 1,344 1,185 409 6,835	2002: 2003 spring: agesmkever 2003: 2003 fall: agesmkever 2004: 2005-2007: agesmkever 2008: 2009: agesmkever 2010-2013: 2014-2015: agesmkever	Denominator is persons who ever smoked (smoke1 =1) Not available in '04 b/c question only asked of current smokers
smoke5a	About how long has it been since you last smoked cigarettes regularly? (continuous, in months)	smoke90	Q7.5	0.2-864 .d= Don't know .=Missing	2,061 28 7,911	2002-2003: Fall 2003: smoke5a 2004-2013: smoke5a 2014-2015:	In months
smoke5	About how long has it been since you last smoked cigarettes regularly? (categories)		smoke5a	1=Within past month 2=More than 1-3 months 3=More than 3-6 months 4=More than 6-12 months 5=More than 1-5 yrs 6=More than 5-10 yrs 7=More than 10 yrs .d= Don't know .=Missing/not asked	19 29 25 95 271 320 1,302 28 7,911	2002-2013: smoke5 2014-2015:	Data collected differently in 2002- 2003
sourcelastcig	Was the last cigarette you smoked from a carton, a pack, a single or loosie, bummed, or did you roll your own?	smoke39	Q7.6; smoker	1=Carton 2=Pack 3=Single/loosie 4=Bummed 5=Roll own .d= Don't know .r= Refused . = Missing/Not asked	103 881 128 53 41 5 1 8,788	2002: 2003: smoke39 2003 fall: smoke39 2005: smoke39 2006-10: sourcelastcig 2011: 2012-2015: sourcelastcig	Denominator is current smokers

Recoded Variable	Question	Raw Name	Source	Frequencies (unweig	ghted)	Prior years	NOTES
cost20cigarettes	Cost of 20 cigarettes (pack)	smoke40, smoke41, smoke42	Q7.7a, Q7.7b, Q7.7c	\$0.10-\$20 .d= Don't know .r= Refused . = Missing/Not asked	1,007 38 7 8,948	2002: 2003-2006: cost20cigarettes 2007: 2008-2010: cost20cigarettes 2011-2012: 2013-2015: cost20cigarettes	
packdiscount	The last time you bought a SINGLE PACK of cigarettes did you receive any type of discount on the pack?	smoke112	Q7.9	1= Yes 2=No 3=[VOL] Do not buy single packs .d=Don't know .r=Refused .= Missing/ Not asked	87 1,070 33 17 5 8,788	2002-2012: 2013-2015: packdiscount	
usenicotineaid16	During the last 12 months, did you use any of the following aids to help you quit?	smoke104	Q7.9, smoke1, smoke2, smoke5a	1 = Yes 2 = No .d=Don't know . = Missing/Not asked	297 1,019 1 8,683	2002-2007: 2008: usenicotineaid 2009: usenicotineaid 2010: usenicotineaid10 2011: usenicotineaid11 2012: usenicotineaid12 2013-2015:	Denominator is current smokers or former smokers who quit <1 year ago. Minor wording change in 2010 Nicotine (2002) nicotine06 (2006) nrt (2002, 2003s/f, 2004) have different response options and populations
advisequitsmoke	During the last 12 months has a doctor, nurse or other health professional advised you to quit smoking?	smoke110	Q7.10, smoke1, smoke2, smoke5a	1 = Yes 2 = No .d=Don't know . = Missing/Not asked	877 437 3 8,683	2002-2009: 2010: advisequitsmoke 2011: advisequitsmoke 2012: advisequitsmoke 2013-2015:	NOTE: eligible population differs than 06,04,03 spring/fall Among current smokers and former smokers quit <12 months

Recoded Variable	Question	Raw Name	Source	Frequencies (unweig	(hted)	Prior years	NOTES
cigarillo16	In the past 30 days, have you smoked a cigarillo or little cigar? Include cigarillos or little cigars with a plastic or filter tip, such as Black & Mild, Swisher Sweet, or Cheyenne?	smoke127	Q7.11	1= Yes 2=No .d=Don't know .r=Refused .= Missing /Not asked	256 9,712 25 7 0	2002-2015:	Asked differently in '13-'15
smokeecig12m	In the past 12 months, have you tried an electronic cigarette, also known as an e-cigarette?	smoke121	Q7.12	1=Yes 2=No 3=[VOL-Don't know what an e-cig is] .d= Don't know .r= Refused .= Missing /Not asked	564 9,404 22 4 6 0	2002-2013: 2014: smokeecig12m 2015: smokeecig12m_w1	
smokeecig30days	In the past 30 days, did you smoke an e-cigarette every day, some days, or not at all.	smoke122	Q7.13	1=Every day 2= Some days 3=Not at all .d= Don't know .r= Refused .= Missing /Not asked	51 166 345 2 0 9,436	2002-2013: 2014: smokeecig30days 2015: smokeecig30days_w1	Among those who smoked an e-cigarette in the past 12 months
ecighelpquit	In the past 12 months, have you used an electronic cigarette to help you either cut back or quit smoking regular cigarettes?	smoke124	Q7.14	1= Yes 2=No .d=Don't know .r=Refused .= Missing /Not asked	255 126 2 0 9,617	2002-2015:	New in 2016 Among current smokers current and quit <12 months

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
agegroup	What is your age? We	demog1,	Q8.1,	1=18-24yrs	697	2002-15: agegroup	
	are only asking this			2=25-44 yrs	2,967		
	information to make	demog128	Q8.1a	3=45-64 yrs	3,612		
	sure we have talked to			4=65+ yrs	2,701		
	enough people in each			.d=Don't know	0		
	age group. Can you just			.r=Refused	23		
	tell me if you are:						
agegroup5	What is your age? We	demog1,	Q8.1,	1=18-24yrs	697	2002-10:	Response option 25-29
	are only asking this			2=25-29 yrs	658	2011: agegroup5	new in 2011
	information to make	demog128	Q8.1a	3=30-44 yrs	2,309	2012: agegroup5	
	sure we have talked to			4=45-64 yrs	3,612	2013: agegroup5	
	enough people in each			5=65+ yrs	2,701	2014: agegroup5	
	age group. Can you just			.d=Don't know	0	2015: agegroup5	
	tell me if you are:			.r=Refused	23		
age18_64	See above	See above	See above	1=18-24 yrs	697	2002-15: age18_64	
				2=25-44 yrs	2,967		
				3=45-64 yrs	3,612		
				. =Missing/not	2,724		
				applicable			
age21up	See above	See above	See above	1= 21-44 yrs	3,408	2002-15:age21up	
				2= 45-64 yrs	3,612		
				3 = 65 + yrs	2,701		
				.= Missing/not	279		
				applicable			
age25up	See above	See above	See above	1=25-44 yrs	2,967	2002-15: age25up	
				2=45-64 yrs	3,612		
				3=65+ yrs	2,701		
				. =Missing/not	720		
				applicable			
age40new	See above	See above	See above	1=40-44 yrs	766	2002-15: age40new	Use age40new NOT
				2=45-64 yrs	3,612		age40up for
				3=65+ yrs	2,701		mammography
				. =Missing/not	2,921		screening variables
				applicable			
age45up	See above	See above	See above	1=45-64 yrs	3,612	2002-15: age45up	
				2=65+ yrs	2,701		
				. =Missing/not	3,687		
				applicable			

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted))	Prior years	NOTES
age50up	See above	See above	See above	1=50-64 yrs 2=65+ yrs . =Missing/not applicable	2,703 2,701 4,596	2002-15: age50up	
sex	Because it is sometimes difficult to determine over the phone, I am asked to confirm with everyone. Are you male or female?	demog72	Q8.2	1=Male 2=Female .=Missing	4,201 5,796 3	2002-15: sex	Respondents who said "Don't Know" or "Refused" to Q8.2 but identified as a transgendered woman were assigned as female: those responding as a transgendered man were assigned as male. Respondents identifying as transgendered but whose sex is unknown had sex classified as missing.
newrace	Are you Hispanic or Latino? Some people, aside from being Hispanic, also consider themselves to be a member of a racial group. Which one or more of the following would you say is your race?		Q8.3, Q8.4, Q8.4a	1=White Non-Hispanic 2=Black Non-Hispanic 3=Hispanic 4=Asian/PI Non- Hispanic 5=Other Non-Hispanic	3,287 2,368 2,971 1,125 249	2002-15: newrace	Race is assigned for missing observations **Use newrace for analyses that include race/ethnicity**
demog55	Please tell me which group best represents your Hispanic or Latino origin or ancestry	demog55	Q8.3a	1= Puerto Rican 2=Cuban/Cuban-American 3=Dominican/ Dominican-American 4=Mexican/Mexican-Amer 5= Central/ South Amer 6=Other Latin Amer 7=Other Hispanic 9=[VOL] Spanish .d=Don't know .r=Refused .= Missing/not asked	804 53 988 285 666 39 76 20 10 10 7,049	2003-15: demog55	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov

DEMOGRAPHICS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
demog135r	Please tell me which group best represents your Asian heritage or ancestry	demog135; demog135vr	Q8.5	1=Chinese 2=Asian Indian 3=Filipino 4=Korean 5=Japanese 6=Vietnamese 7=Something else (specify) .d=Don't know .r=Refused .=Missing/not asked	695 202 50 36 15 12 61 8 1 8,920	2002-2011: 2013-2015: demog135r	Available with a Data Use Agreement. Please contact EpiDataRequest@health.ny c.gov Also see asianancestry. Note the small numbers in some groups.
asianancestry	Please tell me which group best represents your Asian heritage or ancestry	demog135; demog135vr	Q8.5	1=East Asian 2=South Asian 3=Southeast Asian 4=Other .d=Don't know .r=Refused .= Missing/not asked	753 201 80 36 9 1 8,920	2002-2011: 2013-2015: asianancestry	Available with a Data Use Agreement. Please contact EpiDataRequest@health.ny c.gov Regions defined per: http://en.wikipedia.org/wiki/United Nations geoscheme Due to the way newrace is coded, there are a few responses for asianancestry among those whose newrace is Hispanic or other. Asianancestry is based on self-reported responses to heritage and in some cases will not be the same as respondents self-reported birth country.

DEMOGRAPHICS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
bthregion16	Where were you born?	demog129, demog136 demog136vr	Q8.6, Q8.6a,	Region frequencies not reported due to length .d=Don't know .r=Refused	9,923 7 70	2002-03: bthregion 2004: bthregion04 2005: bthregion05 2006: bthregion06 2007: bthregion07 2008: bthregion08 2009: bthregion09 2010: bthregion10 2011: bthregion11 2012: bthregion12 2013: bthregion13 2014: bthregion14	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov
countrybirth16	See bthregion16	n/a	bthregion16	Country frequencies not reported due to length .d=Don't know .r=Refused .=Missing	9,801 7 70 122	2002-03: countrybirth 2004: countrybirth04 2005: countrybirth05 2006: countrybirth06 2007: countrybirth07 2008: countrybirth08 2009: countrybirth09 2010: countrybirth10 2011: countrybirth11 2012: countrybirth12 2013: countrybirth13 2014: countrybirth14	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov See code list in appendix

DEMOGRAPHICS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
bthregion2	Where were you born?	n/a	bthregion16	1=Northern Europe 2=Western Europe 3=Southern Europe 4=Eastern Europe 5=Eastern Asia 6=South Central Asia 7=South Eastern Asia 8=Western Asia 9=Eastern Africa 10=Middle Africa 11=Northern Africa 12=Southern Africa 13=Western Africa 14=Australia and New Zealand 15=Elsewhere Oceana 16=Caribbean 17=Central America 18=South America 19=Northern America - not including U.S. 20=United States d=Don't know .r=Refused	76 62 86 439 661 248 83 70 11 4 12 1 96 7	2002-2015: bthregion2	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov Top coded from bthregion16
usborn	Where were you born? Please tell me the country	n/a	bthregion16, demog129, demog136	1=US born 2=Foreign born .d=Don't know .r=Refused	5,241 4,713 5 41	2002-15: usborn	Puerto Rico and the US Territories are classified as US born
athomelanguage16	What language do you speak most often at home?	demog144	Q8.7	1=English 2=Spanish 3=Russian 4=Chinese 5=Indian 9=Other .d=Don't know .r=Refused	6,512 1,964 376 628 17 472 27 4	2002-03: 2004: athomelanguage04 2005: athomelanguage05 2006: athomelanguage06 2007: athomelanguage07 2008: athomelanguage08 2009: athomelanguage09 2010: athomelanguage10 2011: athomelanguage11 2012: athomelanguage12 2013: athomelanguage13 2014: athomelanguage14 2015: athomelanguage15	Response options differ over time; use caution when combining or comparing years No verbatims asked in 2006-2016

DEMOGRAPHICS							
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
maritalstatus16	Are you: Married, Divorced, Widowed, Separated, Never married, OR A member of an unmarried couple living together?	demog145	Q8.8	1=Married 2=Divorced 3=Widowed 4=Separated 5=Never married 6=Member of unmarried couple living together or partnered .d=Don't know .r=Refused	3,902 1,251 986 577 2,680 507	2002-06: maritalstatus 2007: maritalstatus07 2008: maritalstatus08 2009: maritalstatus09 2010: maritalstatus10 2011: maritalstatus11 2012: maritalstatus12 2013: maritalstatus13 2014: maritalstatus14 2015: maritalstatus15	Starting in 2007 added to demog114=6, "member of unmarried couple LIVING TOGETHER"
sexualid16	Now I'll read a list of terms people sometimes use to describe themselves — gay or lesbian; straight, that is not gay; bisexual; something else As I read the list again, please stop me when I get to the term that best describes how you think of yourself: Do you not understand the words, are you not sure yet, or do you mean something else? What do you mean by something else?	demog146 demog147 demog148 demog148v	Q8.9 Q8.9a Q8.9b	1=Gay/Lesbian 2=Straight, that is not Gay/Lesbian 3=Bisexual 4=Something else .d=Don't know .r=Refused .=Missing	290 8,985 132 79 299 170 45	2002: 2003-14: sexualid 2015: sexualid15	Question wording differs in CHS 2003. Use caution when comparing to later years Response options changed in 2015.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
genderid	Some people do not identify with the sex they were assigned at birth and think of themselves as transgender or identify in another way. For example: a person who is born male may feel female and live as a woman. Do you consider yourself to be transgender or have an identity different than your sex at birth? Do you not understand the question, are you exploring your gender identity and are not sure how you consider yourself yet, or do you mean something else? Are you a transgender woman, a transgender man, or do you have a different gender identify your gender?	demog149- demog152	Q8.10 Q8.10a Q8.10b Q8.10c	1=Man 2=Woman 3=Transgender Man 4=Transgender Woman 5=Other gender identity .d=don't know .r=Refused .=missing/not asked	4,147 5,709 6 13 10 8 3 104	2002-2014: 2015: genderid	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov
education	What is the highest grade or year of school you completed?	demog17	Q8.11	1=Less than HS 2=High school grad 3=Some college 4=College graduate .d=Don't know .r=Refused	1,642 2,387 2,031 3,876 33 31	2002-15: education	demog17 contains more detailed education categories

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
demog17	What is the highest grade or year of school you completed? (detailed options)		Q8.11	1=Never attended/kindergarten 2=Grades 1- 8 3=Grades 9-11 4=Grade 12 or GED 5=College 1 to 3 yrs 6= College 4 yrs or more .d=Don't know .r=Refused	51 808 783 2,387 2,031 3,876 33 31	2002-15: demog17	
child	Presence of children in household		children16	1=Yes 2=No .d=Don't know .r=Refused	3,383 6,569 9 39	2002-15: child	Top coded from children16
numadults2	Total adults in household		numadults	1 2 3 4 5 6 7+	3,458 3,772 1,439 852 311 112 56	2002-14: numadults2	Available with a Data Use Agreement. Please contact EpiDataRequest@health .nyc.gov
hhsize	Total household adults plus children (continuous)		numadults, demog154	1 2 3 4 5 6 7+	2,862 2,568 1,640 1,429 723 411 367	2002-06:householdsize 2007: householdsize07 2008: householdsize08 2009: householdsize09 2010: householdsize10 2011: householdsize11 2012: householdsize12 2013: householdsize13 2014: householdsize14 2015: householdsize15	Top coded from householdsize16
emerghelp	Is there a friend, relative, or neighbor who could help you in an emergency if needed?	demog155	Q6.9	1= Yes 2= No .d=Don't know .r=Refused .= Missing	3,051 335 40 0 6,574	2002-2015:	New in 2016 Among households with only one adult.

DEMOGRAPHICS	}						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
employment16	Are you currently: Employed for wages or salary, Self-employed, unemployed for 1 year or more, unemployed for less than 1 year, A Homemaker, A Student, Retired, Unable to work?	demog119	Q8.15	1=Employed for wages/salary 2=Self-employed 3=Unempl for 1+yrs 4=Unempl for <1 yr 5=Homemaker 6=Student 7=Retired 8=Unable to work .d=Don't know .r=Refused	4,629 850 317 286 566 338 2,260 701 29 24	2002-04: employment 2005: employment05 2006: employment06 2007: employment07 2008: employment08 2009: employment09 2010: employment10 2011: employment11 2012: employment12 2013: employment13 2014: employment14	The response order for Q8.15 differs from the order of responses in formatted frequencies. Employment12 was renumbered so that response options would be consistent with order in prior years
emp3	Employment status – three categories	demog119	Q8.15	1=Employed 2=Unemployed 3=Not in labor force .d=Don't know .r=Refused	5,479 603 3,865 29 24	2002-2015: emp3	
imputed_ povertygroup	Household annual income from all sources; imputed for those with missing data for povertygroup	Q8_18_12, demog68, RQ8_18_12, rdemog68	Q8.18, Q8.18a, rq8z18, rq8z18a	1= <100% FPL 2=100 - <200% FPL 3=200 - <400% FPL 4=400 - <600% FPL 5= ≥600% FPL	2,597 2,183 1,668 1,799 1,753	2002-12: 2013: imputed_povertygroup 2014: imputed_povertygroup 2015: imputed_povertygroup	Household income was imputed for those with missing data, or who responded 'Don't know' or 'refused' to Q8.18 and Q8.18a. FLAG_IMPUTED_POVERT YGROUP indicates whether value was imputed for a given observation If newpovgrps was used to compare income in '02/'03, to later years use imputed_povertygroup instead **For use as a covariate, e.g., for analyses comparing estimates between two HH income groups, and not for estimates of the prevalence of the income groups themselves

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
imputed_pov200	Household annual income from all sources <200% FPL; imputed for those with missing data for pov200	Q8 rq8	Q8.18, Q8.18a, rq8z18, rq8z18a	1= <200% FPL 2= ≥200% FPL	4,780 5,220	2002-2012: 2013: imputed_pov200 2014: imputed_pov200 2015: imputed_pov200	Household income was imputed for those with missing data, or who responded 'Don't know' or 'refused' to Q8.18 and Q8.18a FLAG_IMPUTED_POV200 indicates whether value was imputed for a given observation
imputed_	3-category household		imputed_	1= <200% FPL	4,780	2002-2012:	Not a collapse of imputed_povertygroup **For use as a covariate, e.g., for analyses comparing estimates between two HH income groups, and not for estimates of the prevalence of the income groups themselves Household income was
povgroup3	annual income from all sources		povertygroup7	2=200 - 399% FPL 3= ≥400% FPL	1,668 3,552	2013: imputed_povgroup3 2014: imputed_povgroup3 2015: imputed_povgroup3	imputed for those with missing data, or who responded 'Don't know' or 'refused' to Q8.18 and Q8.18a FLAG_IMPUTED_POVGRO UP3 indicates whether a value was imputed for a given observation
							**For use as a covariate, e.g., for analyses comparing estimates between two HH income groups, and not for estimates of the prevalence of the income groups themselves
bmi	About how tall are you without shoes? About how much do you weigh without shoes?	demog120, demog127;	Q8.19; Q8.20	3.75-94.46 kg/in ² . = Missing	9,490 510	2002-15: bmi	Body Mass Index (BMI) based on self-reported height and weight.

DEMOGRAPHICS	3						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted)		Prior years	NOTES
weight16in4	See bmi		weightin4; probableweig ht16; demog48; demog131	1= Under: bmi<18.5 2=Normal: 18.5\(\section\)bmi<25 3=Overwt: 25\(\section\)bmi<30 4=Obese: 30\(\section\)bmi<100 .=Missing	231 3,524 3,457 2,530 258	2002- 2004: 2005: weight05in4 2006: weight06in4 2007: weight07in4 2008: weight08in4 2009: weight09in4 2010: weight10in4 2011: weight11in4 2012: weight12in4 2013: weight13in4 2014: weight14in4 2015: weight15in4	Includes responses to follow up questions on wt, ht
weight16in5	See bmi		weightin4; probableweight 16	1= Under: <18.5 2=Normal: 18.5_bmi<25 3=Overwt: 25_bmi<30 4=Obese:30_bmi<35 5=Very obese: 35_bmi<100 .=Missing	231 3,524 3,457 1,562 953 273	2002-10: 2011: weight11in5 2012: weight12in5 2013: weight13in5 2014: weight14in5 2015: weight15in5	Added very obese. Includes responses to follow up questions on wt, ht
weightall	See bmi		weightin3; probableweight 16; demog48-51; demog100- 103; demog36- 39; demog131; demog133	1=Und/norm: bmi<25 2=Overwt: 25\(\section\) solution 30 3=Obese: 30\(\section\) bmi\(\section\) 100 .=Missing	3,759 3,457 2,537 247	2002-15: weightall	**Weightall should be used for analyses using 3-category weight ** Include responses to follow up questions on wt, ht

NEIGHBORHO	DDS						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighte	ed)	Prior years	NOTES
uhf34	34 United Hospital Fund neighborhoods – few neighborhoods are combined due to the survey design categorized 1 to 34		uhf	1-34 . = Missing	9,963 37	2002: uhf33* 2003-15 uhf34	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov *UHF34 not available in CHS 2002 (uhf33 available) UHFs were not assigned to cell respondents when information was missing.
borough	Borough of residence based on uhf assignment		uhf42; respbo ro	1=Bronx 2=Brooklyn 3=Manhattan 4=Queens 5=Staten Island	1,811 3,476 1,526 2,632 555	2002-15: borough	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov Borough is based first on responses from UHF (from orgzip or qzip1). For cell respondents with missing UHF, self-reported borough is used. NOTE there are some cases where borough based on UHF does not match self-reported borough
dphonew06	District Public Health Offices in New York City		uhf	1=South Bronx 2=East/Cen Harlem 3=North/Cen Bklyn 4=All other areas .=Missing	576 340 1,176 7,871 37	2002: 2003: 2004: 2005: 2006-15: dphonew06	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov DPHO areas were expanded Sept. 2005, therefore dphonew06 (CHS 06-09) not directly comparable to dpho (CHS 02-05). May consider manually recoding DPHO variable to get a consistent geographic area. For explanation of missing values, see note on 'uhf' variable.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted))	Prior years	NOTES
imputed_neighpov group4_1115	Neighborhood poverty; percent of zip code population living below 100% FPL per American Community Survey, 2011-2015		fixzip	1= 0 - <10% (low pov) 2=10 - <20% 3=20 - <30% 4=30 - <100% (very hi)	1,689 3,771 2,324 2,216	2002-04: neighpovgroup4_2000 2005-09: neighpovgroup4_0711 2010: neighpovgroup4_0711 2011-2012: neighpovgroup4_0711 2013: neighpovgroup4_0812 2014: neighpovgroup4_0913 2015: neighpovgroup4_1014	Standard Agency area-based poverty measure, based on % or population in respondent's zip code living below 100% FPL property american Community Survey 2011-2015, with imputation of missing cases. The score was generated from an average of 1 imputed datasets. Updated definition where zip codes with zero poverty denominator are set to missing.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweight	ed)	Prior years	NOTES
fluvaccineshot	During the past 12 months, have you had a flu shot in your arm or a flu vaccine that was sprayed in your nose?	immuniz10	Q12.1	1=Yes 2=No .d=Don't know .r=Refused	4,715 5,218 61 6	2002-2005: flushot 2006-2015: fluvaccineshot	Question wording changed over time
wherefluvaccineshot 16	Where did you get your most recent flu shot or vaccine?	immuniz22, immuniz22ot h	Q12.2; Q12.1	1=Doctor's office 2=Health Dept Clinic 3=Clinic in hospital 4=Other clinic/health center 5=Community Center/church 6=Pharmacy/store 7=Hospital/ED 8=Workplace 9=Other .d=Don't know .r=Refused .=Missing/not asked	2,295 105 515 219 36 871 63 487 106 14 4 5,285	2002: 2003: whereflushot 2004: 2005: whereflushot05 2006: wherefluvaccineshot06 2007-15:	Response options and question wording has changed over time. Cannot be directly compared with 2003, 2005, 2006. AMONG THOSE WHO GOT A FLU SHOT IN PAST 12 MONTHS
whereflu16	Location of most recent flu vaccine shot among those who got a flu shot in past 12 months		Q12.2	1=Doctor's office 2=Clinic/hospital/ED 3=Pharmacy/store 4=Workplace 5=Other location .d=Don't know .r=Refused .=Missing/not asked	2,295 902 871 487 142 14 4 5,285	2002-2011: 2012: whereflu12 2013-2015:	Response options and question wording has changed over time. Cannot be directly compared with 2012. Among those who got a flu shot in past 12 months

Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	ted)	Prior years	NOTES
pneumoniashot16_ 45	Have you ever had a pneumonia shot?	immuniz27	Q12.3	1=Yes 2=No .d=Don't know .r=Refused .=Missing/not asked	2,408 3,344 556 5 3,687	2002-15:	Denominator is persons 45+ yrs. '02-'04, '06, '08, '10, and '12 was asked among all.
							Age-adjustment weight: age45up

Danadad 37	Omestion	Raw Name	Commercia	Engage of the second of the se	.1\	Duton moons	NOTES
Recoded Variable	Question		Source	Frequencies (unweighte		Prior years	NOTES
evercolon16	Colonoscopy is an exam in which a tube is inserted in the rectum to view the bowel for signs of cancer or other health problems. Have you ever had a colonoscopy?	sigmoid7	Q13.1; age50up	1=Yes 2=No .d=Don't know .r=Refused .=Missing/Not asked	4,084 1,298 17 5 4,596	2002: 2003: evercolon03 2004: evercolon04 2005: evercolon05 2006: evercolon06 2007: evercolon07 2008: evercolon08 2009: evercolon09 2010: evercolon10 2011: evercolon11 2012: evercolon12 2013: evercolon13 2014: evercolon14 2015: evercolon15	Denominator is adults 50+ yrs Question wording modified from '03; using caution when comparing '03 vs. '08 Age-adjustment weight: age50up
colonoscopy10yr16	When was your most recent colonoscopy performed?	sigmoid11	Q13.2; sigmoid7; age50up	1=Less than10 yrs ago 2=Never or ≥10yr .d=Don't know .r=Refused . = Missing/Not asked	3,808 1,538 52 6 4,596	2002: colonoscopy10yr 2003: colonoscopy10yr 2004: colonoscopy10yr 2005: colonoscopy10yr05i 2006: colonoscopy10yr07 2007: colonoscopy10yr07 2008: colonoscopy10yr08 2009: colonoscopy10yr09 2010: colonoscopy10yr10 2011: colonoscopy10yr11 2012: colonoscopy10yr11 2013: colonoscopy10yr13 2014: colonoscopy10yr14 2015: colonoscopy10yr15	Denominator is persons 50+ yrs Age-adjustment weight: age50up
evercolon16_45	See evercolon16	sigmoid7	demog1; sigmoid7; age45up	1=Yes 2=No .d=Don't know .r=Refused . = Missing/Not asked	4,374 1,910 18 11 3,687	2002-2006: 2007: evercolon07_45 2008: evercolon08_45 2009: evercolon09_45 2010: evercolon10_45 2011: evercolon11_45 2012: evercolon12_45 2013: evercolon13_45 2014: evercolon14_45 2015: evercolon15_45	Denominator is persons 45+ yrs Age-adjustment weight: age45up
colonoscopy10yr_45	See colonoscopy10yr16	sigmoid11	demog1 sigmoid7; age45up	1=≤10 yrs ago 2=Never or >10yrs .d=Don't know .r= Refused . = Missing/Not asked	4,075 2,170 56 12 3,687	2002-2006: 2007-2015: colonoscopy10yr_45	Denominator is persons 45+ yrs Age-adjustment weight: age45up

Recoded Variable	Question	Raw Name	Source	Frequency (unweight	ghted)	Prior years	NOTES
hiv12months16	Have you had an HIV test in the last 12 months?	hiv18	Q14.1	1=Yes 2=No .d=Don't know .r=Refused	3,113 6,635 228 24	2002: 2003: hiv6 2004: 2005: hiv12months05 2006: hiv12months06 2007: hiv12months07 2008: hiv12months08 2009: hiv12months09 2010: hiv12months10 2011: hiv12months11 2012: hiv12months12 2013: hiv12months13 2014: hiv12months14 2015: hiv12months15	Question wording differs in '05/'06 v. '07-'09
everhivtest16	Have you ever had an HIV test?	hiv19	Q14.2; hiv18	1=Yes 2=No .d=Don't know .r=Refused	6,157 3,515 309 19	2002-04: 2005: everhivtest05 2006: 2007: everhivtest07 2008: everhivtest08 2009: everhivtest09 2010: everhivtest10 2011: everhivtest11 2012: everhivtest12 2013: everhivtest13 2014: everhivtest14 2015: everhivtest15	Question wording changed over time and response coding/level changed. In 2002 and 2004 question restricted to 18-64 year olds.

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted	l)	Prior years	NOTES
sexbehav_active16	Sexual behavior, past 12 months	sex21, sex32 sex40, sex43	Q15.1f, Q15.8f, Q15.1m, Q15.2m	1=Homosexual 2=Bisexual 3=Heterosexual 4=Incomplete info . =Missing/Not sexually active	223 72 5,369 31 4,305	2002: 2003: sexbehav_active 2004: sexbehav_active 2005: sexbehav_active 2006: sexbehav_active 2007: sexbehav_active07 2008: sexbehav_active08 2009: sexbehav_active09 2010: sexbehav_active10 2011: sexbehav_active11 2012: sexbehav_active12 2013: sexbehav_active13 2014: sexbehav_active14 2015: sexbehav_active15	Denominator is all sexually active
sexuallyactive16	Sexually active in past 12 months		sexbehav_ active16	1=Yes 2=No .=Missing	5,695 3,339 966	2002: 2003: sexuallyactive 2004: sexuallyactive 2005: sexuallyactive 2006: sexuallyactive06 2007: sexuallyactive07 2008: sexuallyactive08 2009: sexuallyactive09 2010: sexuallyactive10 2011: sexuallyactive11 2012: sexuallyactive12 2013: sexuallyactive13 2014: sexuallyactive14 2015: sexuallyactive15	Question wording modified across years In 2002 question restricted to 18- 64yrs
sexpartner	Number of male and female sex partners in the past 12 months		sex21, sex43, sex32, sex40	1=None 2=One 3=Two 4=Three or more . =Missing	3,339 4,833 384 478 966	2002: 2003-2015: sexpartner	Question wording modified across years In 2002 question restricted to 18- 64yrs

SEXUAL BEHAVIO	OR						
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighte	ed)	Prior years	NOTES
wsw	Women who have sex with women, past 12 months	sex32, sex21	Q15.1f Q15.8f demog72	1=Yes 2=No . =Missing/Not asked	118 2,706 7,176	2002: 2003-2015: wsw	WSW: denominator is sexually active women In 2002 question restricted to 18- 64yrs
wswexclusive	Women who have sex with women, exclusively in past 12 months	sex32, sex21	Q15.8f, Q15.1f, demog72	1=Yes 2=No . =Missing/Not asked	67 2,771 7,162	2002: 2003-2015: wswexclusive	Denominator is sexually active women In 2002 question restricted to 18- 64yrs
msm	Men who have sex with men, past 12 months	sex43, sex40	Q15.2m Q15.1m demog72	1=Yes 2=No . =Missing/Not asked	183 2,663 7,154	2002: 2003-2015: msm	MSM: denominator is sexually active men In 2002 question restricted to 18- 64yrs
msmexclusive	Men who have sex with men, exclusively in past 12 months	sex43, sex40	Q15.2m, Q15.1m demog72	1=Yes 2=No . =Missing/Not asked	156 2,695 7,149	2002: 2003-2015: msmexclusive	Question wording modified across years Denominator is sexually active men In 2002 question restricted to 18- 64yrs

Recoded Variable	Question	Raw Name	Source	Frequencies (unweighte	ed)	Prior years	NOTES
condom16	The last time you had sex,	sex60,	Q15.2f	1=Yes	1,623	2002:	Among those
	did you use a condom?	sex98,	Q15.3m,	2=No	3,938	2003: condom03	sexually active in
	Among all sexually active	sex45, sex46	Q15.4m,	.d=Don't know	21	2004: condomNOToral	last 12 months
			Q15.5m	.r=Refused	44	2005: condom05	In 2007 condom
				. =Missing/Not asked	4,374	2006: condom06	use question was
						2007:	not asked of MSM
						2008: condom08	exclusive so
						2009: condom09	condomuse07 not
						2010: condom10	directly
						2011: condom11	comparable to any
						2012: condom12	other years
						2013: condom13	In 2002 question
						2014: condom14	restricted to 18-
						2015: condom15	64yrs
condomusetrend	The last time you had sex,		sex60,	1=Yes	1,462	2002-2015:	Denominator is
	did you use a condom?		sex45, sex46,	2=No	3,228	condomusetrend	persons 18-64 yrs
	Among sexually active 18-		sex98;	.d=Don't know	12		who had sex with
	64 year olds who had sex		msmexclusive,	.r=Refused	34		≥ 1 partner of
	with 1 or more partners of		wswexclusive	. =Missing/Not asked	5,264		opposite sex in past
	opposite sex in past 12						12 months
	months						
analsex	In the past 12 months,	sex61,	Q15.6f, sex21;	1=Yes	428	2002-2006:	Denominator is
	have you had anal sex?	sex68	Q15.9m,	2=No	5,098	2007: analsex	WSM and MSWM
			sex40, sex43	.d=Don't know	29	2008:	
				.r=Refused	71	2009-2015: analsex	
				. =Missing/Not asked	4,374		
analsexcondomuse16	In the past 12 months,	sex92,	Q15.7f	1=Yes	150	2002-2014:	Denominator is
	when you have had anal	sex93	(sex92),	2=No	276	2015:	those report anal
	sex have you or your		Q15.10m	.d=Don't know	0	analsexcondomuse15	sex
	partner used a condom?		(sex93)	.r=Refused	2		
				. =Missing/Not asked	9,572		Response options
							changed

D 1 - 1 37 2 - 1 3	0	D N'	G	E	.1\	D:	NOTEC
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighted		Prior years 2002-2015:	NOTES
otherbcnotcondom2	The last time you had		otherbcnotcon	1=Yes	873	2002-2015:	Question asked
	vaginal sex, did you or		dom	2=No	2,868		differently in 2016
	your partner use any other			.d=Don't know/ Never	44		
	method of birth control			had vaginal sex			Denominator is
	besides condoms to			.r=Refused	32		women 18-45 and
	prevent a pregnancy?			.=Missing/Not asked	6,183		men 18-65 with at
							least one opposite
							sex partner
							The Parties
							Recoded from
							otherbcnotcondom
hth antulty ma	Turns of hinth control used		hth controltyma	1=No contraception	2,868	2002-2012:	Denominator is
bthentrltype	Type of birth control used		bthcontroltype	2=Pill only	436	2002-2012:	women 18-45 and
	at last vaginal sex		16	3= Pill + IUD or implant	0		men 18-65 with at
	(EXCLUDES condoms)			4= Pill + EC	0	bthcontroltype	least one opposite sex
				5= Pill + other	0	2015:	partner
				6= Pill + sterilization	0		purtier
				7= Pill + shots, vaginal	108		Categories DO NOT
				ring, or patch; or shots,			include condom use
				vaginal ring, or patch			
				8= IUD or implant	187		Not comparable to
				9=EC	7		2013, 2014
				10=Other	55		
				11=Sterilization	67		Recoded from
				.=Missing/not asked	6,272		bthcontroltype16
bthcontrollastsex16	Any birth control at last		condom16,	1=Yes	1,917	2002-2012:	Denominator is
	sex (includes condom use)		otherbcnotcon	2=No	1,841	2013-2014:	women 18-45 and
			dom,	.=Missing/Not asked	6,242	bthcontrollastsex	men 18-65 with at
			bthcontroltype			2015:	least one opposite sex
			16				partner
							Includes condom use
							Comparable to 2013, 2014

SEXUAL BEHAVIO	OR				-		
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighte	ed)	Prior years	NOTES
intendpregnancy	The last time you had	sex84, sex91	Q15.5f,	1=Yes	207	2002-2012:	Denominator is
	vaginal sex, did you		Q15.8f	2=No	1,263	2013-2014:	women 18-45 and
	intend to become			3= No, but wouldn't	284	intendpregnancy	men 18-65 with at
	pregnant/get your partner			have minded		2015:	least one opposite
	pregnant?			4=Already pregnant/			sex partner who
				partner already			reported not using
				pregnant	23		condoms, birth
				5=Unable to get			control pills, or
				pregnant/partner unable			other method of
				to get pregnant	58		birth control at last
				.d=Don't know	5		vaginal sex
				.r=Refused	6		
				.=Missing/Not asked	8,154		
pcpsexhistory	Thinking about the last	sex78,	Q15.9f,	1=Yes	3,147	2002-2010:	
	time you visited your	sex80	Q15.11m	2=No	6,590	2011: pcpsexhistory	
	personal doctor or health			.d=Don't know	164	2012-2015:	
	care provider, did he or			.r=Refused	95		
	she ask you any questions			.=Missing	4		
	about your sexual history?						
everheardofprep	Have you heard of PrEP	sex96,	Q15.10f,	1=Yes	1,375	2002-2015:	New in 2016
	(Pre-Exposure	sex102	sex21, sex32,	2=No	4,282		
	Prophylaxis)?		Q15.12m,	.d=Don't know	33		
			sex40, sex43	.r=Refused	5		
				. =Missing/Not asked	4,305		
everusedprep	Have you ever used PrEP	sex97,	Q15.11f,	1=Yes	41	2002-2015:	New in 2016
	to prevent yourself from	sex103	sex96,	2=No	1,331		
	becoming infected with		Q15.13m,	.d=Don't know	1		
	HIV?		Sex102	.r=Refused	2		
				. =Missing/Not asked	8,625		

Recoded	Question	Raw	Source	Frequencies (unweight	ghted)	Prior years	NOTES
Variable		Name		•	,	·	
drinker	Consumed at least one alcohol drink in past 30 days	drink9	Q16.1	1=Yes 2=No .d=Don't know .r=Refused	5,206 4,697 68 29	2002-05: drinker 2006: 2007-15: drinker	Values for none/ no drinks have changed over time
daysalc30	A drink of alcohol is 1 can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor. During the past 30 days, how many days per week or per month did you have at least 1 drink of any alcoholic beverage? STANDARDIZED TO PER MONTH	drink9	Q16.1	0 – 30.1 .d=Don't know .r=Refused	9,903 68 29	2002-05: daysalc30 2006: 2007-15: daysalc30	Continuous measure standardized to days per month
averagedrink16	On the days when you drank, about how many drinks did you drink on average? Standardized to average number of drinks per day in last 30 days)	drink5	Q16.2; drink9	0 - 50 .d=Don't know .r=Refused . = Missing	9,843 50 10 97	2002-04: averagedrink 2005: averagedrink05 2006: 2007: averagedrink07 2008: averagedrink08 2009: averagedrink09 2010: averagedrink10 2011: averagedrink11 2012: averagedrink12 2013: averagedrink13 2014: averagedrink14 2015: averagedrink15	
heavydrink16	Heavy drinking defined as men having >2 drinks per day or women having >1 drink per day		averagedrink16; drinker; sex	1=Yes 2=No .=Missing	374 9,465 161	2002-04: heavydrink 2005: heavydrink05 2006: 2007: heavydrink07 2008: heavydrink08 2009: heavydrink09 2010: heavydrink10 2011: heavydrink11 2012: heavydrink12 2013: heavydrink13 2014: heavydrink14 2015: heavydrink15	

Recoded Variable	Question	Raw Name drink10	Source	Frequencies (unweighted)		Prior years	NOTES
bingenew During had [n on one 4 or m	During the past 30 days had [men: 5 or more drinks on one occasion] [women: 4 or more drinks on one occasion]		Q16.3; drinker	1=Yes 2=No .d=Don't know .r=Refused	1,315 8,516 132 37	2002-2010: not comparable 2011-2015: bingenew	Change to question in 2011, among women asked 4 or more drinks on one occasion.
whrdrnkalc	Where were you when you did most of your drinking? (Most recent occasion of binge or heavy drinking; among heavy drinkers and binge drinkers).	drink14	Q16.4; bingenew; heavydrink16	1=Home 2=Another person's home 3=A restaurant or banquet hall 4=A bar or club 5=A public place 6=Some other place .d=Don't know .r=Refused .=Missing/Not asked	523 229 204 335 54 67 4 2 8,582	2002-2015:	New in 2016

Recoded Variable	Question	Raw Name	Source	Frequencies (unweigh	nted)	Prior years	NOTES
ipvphy	Has a current or former intimate	demest8	Q17.1	1=Yes	798	2002-2015:	New in 2016
	partner ever hit, slapped, shoved,			2=No	9,074		
	choked, kicked, shaken, or			.d=Don't know	14		
	otherwise physically hurt you?			.r=Refused	114		
ipvphy12months	Experienced physical violence by a	demest8,	Q17.2	1=Yes	127	2002-2015:	New in 2016
	current or former intimate partner	demest9		2=No	9,743		
	in past 12 months (among all)			.d=Don't know	1		
	, ,			.r=Refused	1		
				.=Missing	128		

Recoded Variable	Question	Raw Name	Source	Frequencies (unweight	ed)	Prior years	NOTES
nycdriver	Drove car/motor vehicle in NYC in past 30 days Recoded based on: In the past 30 days, on how many days did you drive a car or motor vehicle in New York City?	traffic1	Q18.1	1= Yes (driver) 2=No (non-driver) .d=Don't Know .r=Refused	4,139 5,793 45 23	2002-2014: 2015: nycdriver	
drivefreq	Days drove car/motor vehicle in NYC in past 30 days. Among drivers only	traffic1	Q18.1	1=1-4 days 2=5-9 days 3=10-19 days 4=20-29 days 5=30 days d=Don't Know .r=Refused .=non-drivers	735 490 540 646 1,728 45 23 5,793	2002-2014: 2015: drivefreq	Among drivers only
drivefreq_all	Days drove car/motor vehicle in NYC in past 30 days. Among all	traffic1	Q18.1	1=0 days 2=1-4 days 3=5-9 days 4=10-19 days 5=20-29 days 6=30 days d=Don't Know .r=Refused	5,793 735 490 540 646 1,728 45	2002-2014: 2015: drivefreq_all	Among all adults
drivefreq3_all	Days drove car/motor vehicle in NYC in past 30 days – 3 levels. Among all	traffic1	Q18.1	1=0 days 2=1-29 days 3=30 days d=Don't Know .r=Refused	5,793 2,411 1,728 45 23	2002-2014: 2015: drivefreq3_all	Among all adults
speedfreq	In the past 30 days, when you drove in New York City, how often did you drive 10 miles per hour or more over the posted speed limit?	traffic2	Q18.2	1=Often 2=Sometimes 3=Rarely 4=Never d=Don't Know .r=Refused .=Missing/non-drivers	517 763 1,213 1,589 46 11 5,861	2002-2014: 2015: speedfreq	Among drivers

TRAFFIC SAFETY (VISION ZERO)									
Recoded Variable	Question	Raw Name	Source	Frequencies (unweighte	ed)	Prior years	NOTES		
everspeed	Ever drove 10MPH over the speed limit when driving in past 30 days (Among drivers only)	traffic2	Q18.2	1= Yes 2=No .d=Don't Know .r=Refused .=Missing/non-drivers	2,493 1,589 46 11 5,861	2002-2014: 2015: everspeed	Among drivers		

HOUSING, ENVIRON	MENT, AND NOISE						
Recoded Variable	Question	Raw Name	Source	Frequency (unweighte	ed)	Prior years	NOTES
lowinchousing_q1	Are you: a public housing resident, receive rental assistance such as Section 8, or neither	housing33	Q6.2	1=Public housing resident 2=Rental assistance 3=Neither .d=Don't know .r=Refused .= Missing/not asked	460 462 3,992 87 6 4,993	2002-2014: 2015: lowinchousing	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc. gov ASKED ONLY IN VERSION 1. Analysis requires special survey weight t – wt17_dual_q1
imputed_socialcohesion	Imputed social cohesion variable average score	housing43-housing47	Q6.3 – Q6.7	1-5	10,000	2002-2014: 2015: imputed_ socialcohesion	Available with a Data Use Agreement. Please contact EpiDataRequest@health.nyc.gov Continuous variable Average of 5 social cohesion score variables. The score was constructed using the same order of the values in the five social cohesion variables (1=Strongly agree; 5=Strongly disagree).
safeneighb2	Neighborhood is very safe or somewhat safe from crime (self- reported perception)	housing48	Q6.8	1= Yes 2=No .d=Don't Know .r=Refused	8,355 1,446 192 7	2002-2014: 2015: safeneighb2	
safeneighborhood16	How safe from crime do you consider your neighborhood to be? Would you say very safe, somewhat safe, not very safe, or not at all safe?'	housing48	Q6.8	1= Very safe 2= Somewhat safe 3= Not very safe 4= Not at all safe .d=Don't Know .r=Refused	3,174 5,181 1,057 389 192 7	2002: demog27 2003-2009: 2010: safeneighborhood 2011-2014: 2015: safeneighborhood15	Response options differ in 2015-2016. Use caution when comparing with previous years.

Recoded Variable	Recoded Variable Question Raw Source Name		Source	Frequencies (unweighted)	Prior years	NOTES	
survey	Survey number		BES	17 10,00	2002-2015: survey		
strata	Stratification/nesting variable for analysis		ABT/SBRI		2002-15:strata	Strata is defined differently in 2002; 2003-2008; 2009-2015 and 2016, but this variable should be used for all years of the survey as defined in each year	
cid	Unique identifier across all years of CHS		BES	continuous 10,00	2002-15: cid		
wt17_dual	Survey weight for analysis of CHS 2016 data		ABT/SBRI	continuous 10,00)		